




INSPIRE ♦ CREATE ♦ ELEVATE



MERINOLAM
DECORATIVE LAMINATES



INSPIRE ■ CREATE ■ ELEVATE



MERINOLAM

DECORATIVE LAMINATES

A UK stocked range of premium quality high pressure laminate suitable for horizontal and vertical application.

This sustainable and ethically sourced collection boasts a protective poly-coating as standard across a comprehensive range of decors and finishes, including speciality laminates and FR rated plain colours, woodgrains and patterns.

Always available to inspire, create and elevate any project

The Merino Group is one of the world's largest manufacturers of decorative laminates. Driven by the inherent value of constant innovation, Merino offers a diverse collection of surfaces with infinite design possibilities that showcase its world class manufacturing prowess.

Free Sample Service:
info@merinolam.co.uk

**Ex stock for delivery
in 24 - 48 hours**



The mark of
responsible forestry

European
Standard
EN 438





THE WORLD ISN'T JUST OUR PLANET, IT'S OUR HOME

Merino Group with its focus on building a healthy environment has taken various initiatives to conserve natural resources. We actively work towards reducing pressure on natural resources by adopting an effective pro-environment stance alongside adhering to eco-conservationist standards. Merino already fulfils 70% of its total energy requirement from renewable and green sources.

Merino strongly believes that the environment encircles social and economic well-being which has inspired Merino Group to follow a policy of **Environment First**.

The Group is continually making sustained efforts to adopt concepts, practices and principles of circular economy to create the necessary reduction, reuse and recycling of waste. Many initiatives have been taken, including collaboration with academia, across the following categories:


- Air quality and emissions
- Waste management
- Energy management
- Water management
- Agricultural practices & green activities

For further information on any of the above sustainable practices and principles please refer to www.merinolaminates.com




PLAIN COLOUR

0.7mm | 3050mm x 1300mm | VGP/FR & HGP/FR




21066
Black

Gloss




21841
Colonial White

Gloss




21066
Black

Suede




21841
Colonial White

Suede




22191
Glacial White

Suede




21081
White Lily

Suede




21187
Champagne

Suede




21161
Ceramic

Suede



22169
Pale Grey

Suede



21069
Silver Grey

Suede



21059
Platinum

Suede



22079
Dove Grey

Suede



22059
Gothic Grey

Suede




22099
Slate

Suede




22109
Pearl Black

Suede




21057
Marigold

Suede




21024
Saffron

Suede




21075
Carnival

Suede



21065
Cardinal

Suede




21032
Ink

Suede



21022
Midnight Blue

Suede



21013
Emerald

Suede



21063
English Ivy

Suede




WOOD

0.7mm | 3050mm x 1300mm | HGP/FR



10596 Suede
Scandinavian Pike Oak



10839 Suede
Siberian Pike Oak



14641 Suede
Laurel Oak Wind



14693 Suede
Smoked Rioja Oak



14694 Suede
Black Rioja Oak



10870 Suede
Planked Maple



10122 Suede
Sea Beech



10099 Suede
Alaskan Walnut



14662 Suede
Titter Walnut



10858 Suede
Wenge



PATTERN

0.7mm | 3050mm x 1300mm | HGP/FR



40462 Suede
Elbrus Concrete



40463 Suede
Crub Concrete



40461 Suede
Castle Concrete



47716 Suede
Warm Grey Glace



40001 Suede
Cloud Terrazzo




40002 Suede
Castor Terrazzo


Lūvih

SUPER MATT ANTI-FINGERPRINT


0.8mm | 3050mm x 1300mm & 4300mm x 1550mm | HGS




27141 Super Matt Anti-Fingerprint
Wan White



27181 Super Matt Anti-Fingerprint
Chalky White




27189 Super Matt Anti-Fingerprint
Blaze Grey




27149 Super Matt Anti-Fingerprint
Drawn Grey




27112 Super Matt Anti-Fingerprint
Shibori Blue



27113 Super Matt Anti-Fingerprint
Aqua Green



27139 Super Matt Anti-Fingerprint
Shadow Grey




27106 Super Matt Anti-Fingerprint
Charcoal

UNI⁺


THROUGH COLOUR⁺

0.8mm | 3050mm x 1300mm | HGS




21841
Colonial White

Suede



22079
Dove Grey

Suede



21066
Black

Suede



METALLIC

0.8mm | 3050mm x 1300mm | VGS



99981
Silvery Matt

Brushed




99982
Light Gold Matt

Brushed

MAGNETIC

1mm | 2440mm x 1220mm | VGS




22281
Pristine White

Gloss


LINER

0.7mm, 0.8mm & 1mm | 3050mm x 1300mm | VGS & VGS/FR



Suede

White (0.7mm) (VGS/FR)
Recommended for use with
Fire Retardant laminate




Suede

White (0.7mm) (VGS)
Recommended for use with
non Fire Retardant laminate



Suede

White (0.8mm) (VGS)
Recommended for use with
Luvih , Through Colour and
Metallic laminate



Suede

White (1mm) (VGS)
Recommended for use with
Magnetic laminate




PLAIN COLOUR, WOOD & PATTERN

Merino FR+ Fire Retardant Laminate is tested in accordance with BS 476: Part 7. The product passes Class-1 Fire Rating (provided that fire retardant adhesive, backer and substrates are used).

Class-1 FR Laminates do not allow fire to spread further once the source is removed and extinguishes itself within a stipulated time, significantly reducing the risk of toxic smoke.

Merino are not liable for the Fire Rating of bonded products and components as this will vary depending on the materials used with Merino FR+. All combinations must be FR tested independently to meet specific requirements.

0.7mm thick, available in a standard 3050mm x 1300mm sheet size, across a range of 37 decors including plain colour, wood and pattern.




Luvih

SUPER MATT ANTI-FINGERPRINT

Luvih is a Super Matt Anti-Fingerprint laminate engineered to create a luxurious satin smooth yet tough surface, suitable for horizontal and vertical application.

Highly resistant to fingerprints, grease, smudges, and with anti-bacterial properties, Luvih is hygienic and easy to clean.

0.8mm thick, across a range of 8 decors, available in 2 sheet sizes; 3050mm x 1300mm and 4300mm x 1550mm.






THROUGH COLOUR

UNI+ laminate has been developed to leave no black edges. With one uniform colour throughout it offers colour consistency and inconspicuous edging detail, perfect for square edge applications.

Resistant to dry heat, impact and scratches to EN 438, UNI+ laminates will maintain their colour integrity.

0.8mm thick, available in 3 decors and 3050mm x 1300mm sheet size as standard.




METALLIC

Metalam laminate has a metallic foil surface, creating a highly desirable sheen.

Metalam combines the aesthetics of metal with the versatility of laminate. Designed for vertical applications.

0.8mm thick, available in silver and gold decors, 3050mm x 1300mm sheet size as standard.




MAGNETIC

Magnetic effect laminate can be used in a variety of vertical interior applications, such as dry-wipe boards.

The specially engineered stain resistant surface is hygienic and very easy to clean.

1mm thick, available in a single decor, and a 2440mm x 1220mm sheet size.





PLAIN COLOURS, WOODS & PATTERNS

*Protective poly-coating as standard.

Code	Name	Texture	Thickness	Sheet Size	Grade	Coated*	RAL	Pantone®
21066	Black	Gloss	0.7mm	3050mm x 1300mm	VGP/FR	✓	9004	Black 6 C
21841	Colonial White	Gloss	0.7mm	3050mm x 1300mm	VGP/FR	✓	9016	7485 C
21066	Black	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	9004	Black 6 C
21841	Colonial White	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	9016	7485 C
22191	Glacial White	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	9010	Cool Gray 1C
21081	White Lily	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	9003	Cool Gray 1C
21187	Champagne	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	9001	7499 C
21161	Ceramic	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	9002	4545 C
22169	Pale Grey	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	7035	7535 U
21069	Silver Grey	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	7047	413 C
21059	Platinum	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	7038	7537 C
22079	Dove Grey	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	7004	415 C
22059	Gothic Grey	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	7037	416 U
22099	Slate	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	3500	Black U
22109	Pearl Black	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	7024	446 C
21057	Marigold	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	090 80 70	128 C
21024	Saffron	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	2003	1495C
21075	Carnival	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	030 40 50	201 C
21065	Cardinal	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	030 40 60	200 C
21032	Ink	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	260 40 45	300 U
21022	Midnight Blue	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	5008	296 U
21013	Emerald	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	150 50 50	356 C
21063	English Ivy	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	6028	357 U
10596	Scandinavian Pike Oak	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
10839	Siberian Pike Oak	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
14641	Laurel Oak Wind	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
14693	Smoked Rioja Oak	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
14694	Black Rioja Oak	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
10870	Planked Maple	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
10122	Sea Beech	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
10099	Alaskan Walnut	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
14662	Titter Walnut	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
10858	Wenge	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
40462	Elbrus Concrete	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
40463	Crub Concrete	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
40461	Castle Concrete	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
47716	Warm Grey Glace	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
40001	Cloud Terrazzo	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-
40002	Castor Terrazzo	Suede	0.7mm	3050mm x 1300mm	HGP/FR	✓	-	-

LINER

-	White	Suede	0.7mm	3050mm x 1300mm	VGS	-	-	-
-	White	Suede	0.7mm	3050mm x 1300mm	VGS/FR	-	-	-
-	White	Suede	0.8mm	3050mm x 1300mm	VGS	-	-	-
-	White	Suede	1.0mm	3050mm x 1300mm	VGS	-	-	-

Luvih

SUPER MATT ANTI-FINGERPRINT

*Protective poly-coating as standard.

Code	Name	Texture	Thickness	Sheet Size	Grade	Coated*	RAL	Pantone®
27141	Wan White	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	9016	705
27181	Chalky White	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	9003	Cool Gray 1C
27189	Blaze Grey	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	7035	7535 U
27149	Drawn Grey	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	7004	415 C
27112	Shibori Blue	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	5008	296 U
27113	Aqua Green	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	6028	357 U
27139	Shadow Grey	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	7024	446 C
27106	Charcoal	Super Matt Anti-Fingerprint	0.8mm	3050mm x 1300mm 4300mm x 1550mm	HGS	✓	9011	Black 6 C

UNI⁺

THROUGH COLOUR⁺

†Please note that Greenguard certifications do not apply to these products.

*Protective poly-coating as standard.

Code	Name	Texture	Thickness	Sheet Size	Grade	Coated*	RAL	Pantone®
21066	Black	Suede	0.8mm	3050mm x 1300mm	HGS	✓	9004	Black 6 C
21841	Colonial White	Suede	0.8mm	3050mm x 1300mm	HGS	✓	9016	7485 C
22079	Dove Grey	Suede	0.8mm	3050mm x 1300mm	HGS	✓	7004	415 C

MERINO Metalam

METALLIC⁺

†Please note that Greenguard certifications do not apply to these products.

*Protective poly-coating as standard.

Code	Name	Texture	Thickness	Sheet Size	Grade	Coated*	RAL	Pantone®
99981	Silvery Matt	Brushed	0.8mm	3050mm x 1300mm	VGS	✓	-	-
99982	Light Gold Matt	Brushed	0.8mm	3050mm x 1300mm	VGS	✓	-	-

MAGNETIC⁺

†Please note that Greenguard certifications do not apply to these products.

*Protective poly-coating as standard.

Code	Name	Texture	Thickness	Sheet Size	Grade	Coated*	RAL	Pantone®
22281	Pristine White	Gloss	1.0mm	2440mm x 1220mm	VGS	✓	260 90 05	E214-9

info@merinolam.co.uk
www.merinolaminates.com



INSPIRE ♦ CREATE ♦ ELEVATE

60700401

Merino high pressure laminate is manufactured and tested to EN 438 (excluding performance of Metalam and Liner products). | Merino laminates should be processed and fabricated in accordance with the product specific Technical Guides provided. | Merino is not liable for the Fire Rating of bonded products and components as this will vary depending on the materials used with Merino FR+ Fire Retardant Laminate. All combinations must be FR tested independently to meet specific requirements. | The Protective Poly-coating should be removed before postforming. | Abrasive cleaners should not be used to clean Merino high pressure laminate as these may damage the surface and result in scratching. | Merino high pressure laminate should not be used for exterior application, exterior laminate is available on request. | Due to variations in the photographic and printing processes the colours shown on our website and printed marketing material may vary compared to the actual product, it is recommended that actual product samples are viewed prior to purchase. | We reserve the right to amend the specification of the products shown without prior notice.