



INSPIRE ♦ CREATE ♦ ELEVATE



MERINOLAM
DECORATIVE LAMINATES



INSPIRE G CREATE G ELEVATE



MERINOLAM DECORATIVE LAMINATES

A UK stocked range of premium quality high pressure laminate suitable for horizontal and vertical application.

This sustainable and ethically sourced collection boasts a protective poly-coating as standard across a comprehensive range of decors and finishes, including speciality laminates and FR rated plain colours, woodgrains and patterns.

Always available to inspire, create and elevate any project

The Merino Group is one of the world's largest manufacturers of decorative laminates. Driven by the inherent value of constant innovation, Merino offers a diverse collection of surfaces with infinite design possibilities that showcase its world class manufacturing prowess.

Free Sample Service:
info@merinolam.co.uk

**Ex stock for delivery in
24 - 48 hours**



The mark of
responsible forestry

European
Standard
EN 438





THE WORLD ISN'T JUST OUR PLANET, IT'S OUR HOME

Merino Group with its focus on building a healthy environment has taken various initiatives to conserve natural resources. We actively work towards reducing pressure on natural resources by adopting an effective pro-environment stance alongside adhering to eco-conservationist standards. Merino already fulfils 70% of its total energy requirement from renewable and green sources.

Merino strongly believes that the environment encircles social and economic well-being which has inspired Merino Group to follow a policy of **Environment First**

The Group is continually making sustained efforts to adopt concepts, practices and principles of circular economy to create the necessary reduction, reuse and recycling of waste. Many initiatives have been taken, including collaboration with academia, across the following categories:


- Air quality and emissions
- Waste management
- Energy management
- Water management
- Agricultural practices & green activities

For further information on any of the above sustainable practices and principles please refer to www.merinolaminates.com




PLAIN COLOUR


0.7mm | 3050mm x 1300mm | VGP/FR & HGP/FR




21066 Gloss
Black




21841 Gloss
Colonial White




21066 Suede
Black




21841 Suede
Colonial White




22191 Suede
Glacial White




21081 Suede
White Lily




21187 Suede
Champagne




21161 Suede
Ceramic



22169 Suede
Pale Grey



21069 Suede
Silver Grey



21059 Suede
Platinum



22079 Suede
Dove Grey




22059 Suede
Gothic Grey




22099 Suede
Slate




22109 Suede
Pearl Black




21057 Suede
Marigold




21024 Suede
Saffron



21075 Suede
Carnival




21065 Cardinal Suede



21032 Suede
Ink



21022 Suede
Midnight Blue



21013 Suede
Emerald



21063 Suede
English Ivy



WOOD

0.7mm | 3050mm x 1300mm | HGP/FR



10596 Suede
Scandinavian Pike Oak



10839 Suede
Siberian Pike Oak



14641 Suede
Laurel Oak Wind



14693 Suede
Smoked Rioja Oak




14694 Suede
Black Rioja Oak




10870 Suede
Planked Maple




10122 Suede
Sea Beech



10099 Suede
Alaskan Walnut



14662 Suede
Titer Walnut



10858 Suede
Wenge




PLAIN COLOUR, WOOD & PATTERN

Merino FR+ Fire Retardant Laminate is tested in accordance with BS 476: Part 7. The product passes Class-1 Fire Rating (provided that fire retardant adhesive, backer and substrates are used).

Class-1 FR Laminates do not allow fire to spread further once the source is removed and extinguishes itself within a stipulated time, significantly reducing the risk of toxic smoke.

Merino are not liable for the Fire Rating of bonded products and components as this will vary depending on the materials used with Merino FR+. All combinations must be FR tested independently to meet specific requirements.

0.7mm thick, available in a standard 3050mm x 1300mm sheet size, across a range of 37 decors including plain colour, wood and pattern. retardant properties.



INSPIRE

◆ CREATE ◆

ELEVATE

60700401

Merino high pressure laminate is manufactured and tested to EN 438 (excluding performance of Metalam and Liner products). | Merino laminates should be processed and fabricated in accordance with the product specific Technical Guides provided. | Merino is not liable for the Fire Rating of bonded products and components as this will vary depending on the materials used with Merino FR+ Fire Retardant Laminate. All combinations must be FR tested independently to meet specific requirements. | The Protective Poly-coating should be removed before postforming. | Abrasive cleaners should not be used to clean Merino high pressure laminate as these may damage the surface and result in scratching. | Merino high pressure laminate should not be used for exterior application, exterior laminate is available on request. | Due to variations in the photographic and printing processes the colours shown on our website and printed marketing material may vary compared to the actual product, it is recommended that actual product samples are viewed prior to purchase. | We reserve the right to amend the specification of the products shown without prior notice.